

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_01.c,v
working file: c_tests/nullstone/src/mod/mod_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_02.c,v
working file: c_tests/nullstone/src/mod/mod_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_03.c,v
working file: c_tests/nullstone/src/mod/mod_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_04.c,v

working file: c_tests/nullstone/src/mod/mod_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_05.c,v

working file: c_tests/nullstone/src/mod/mod_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_06.c,v
working file: c_tests/nullstone/src/mod/mod_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_07.c,v
working file: c_tests/nullstone/src/mod/mod_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_08.c,v
working file: c_tests/nullstone/src/mod/mod_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:50;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:51;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_09.c,v
Working file: c_tests/nullstone/src/mod/mod_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:51;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:52;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_10.c,v
Working file: c_tests/nullstone/src/mod/mod_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:51;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:52;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

```



```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_11.c,v
working file: c_tests/nullstone/src/mod/mod_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:51;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:52;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_12.c,v
working file: c_tests/nullstone/src/mod/mod_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:51;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:52;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_13.c,v
working file: c_tests/nullstone/src/mod/mod_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2

```

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_14.c,v

Working file: c_tests/nullstone/src/mod/mod_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_15.c,v

Working file: c_tests/nullstone/src/mod/mod_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_16.c,v

bz Feb 21-27 1995.log

working file: c_tests/nullstone/src/mod/mod_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_17.c,v

working file: c_tests/nullstone/src/mod/mod_17.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_18.c,v

working file: c_tests/nullstone/src/mod/mod_18.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_19.c,v
working file: c_tests/nullstone/src/mod/mod_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_20.c,v
working file: c_tests/nullstone/src/mod/mod_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_21.c,v
working file: c_tests/nullstone/src/mod/mod_21.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8.8: 1.1.1.1
    NS_3_8.4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_22.c,v
working file: c_tests/nullstone/src/mod/mod_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8.8: 1.1.1.1
    NS_3_8.4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_23.c,v
working file: c_tests/nullstone/src/mod/mod_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8.8: 1.1.1.1
    NS_3_8.4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

```
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_24.c,v
working file: c_tests/nullstone/src/mod/mod_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_25.c,v
working file: c_tests/nullstone/src/mod/mod_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_26.c,v
working file: c_tests/nullstone/src/mod/mod_26.c
head: 1.1
```

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_27.c,v
working file: c_tests/nullstone/src/mod/mod_27.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_28.c,v
working file: c_tests/nullstone/src/mod/mod_28.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_29.c,v
working file: c_tests/nullstone/src/mod/mod_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----

```

```

revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_30.c,v
working file: c_tests/nullstone/src/mod/mod_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----

```

```

revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_31.c,v
working file: c_tests/nullstone/src/mod/mod_31.c
head: 1.1
branch: 1.1.1

```


bz Feb 21-27 1995.log

locks: strict
access list:

symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_32.c,v
working file: c_tests/nullstone/src/mod/mod_32.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_33.c,v
working file: c_tests/nullstone/src/mod/mod_33.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_34.c,v
working file: c_tests/nullstone/src/mod/mod_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_35.c,v
working file: c_tests/nullstone/src/mod/mod_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_36.c,v
working file: c_tests/nullstone/src/mod/mod_36.c
head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_37.c,v

working file: c_tests/nullstone/src/mod/mod_37.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_38.c,v

working file: c_tests/nullstone/src/mod/mod_38.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_39.c,v
working file: c_tests/nullstone/src/mod/mod_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_40.c,v
working file: c_tests/nullstone/src/mod/mod_40.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_41.c,v
working file: c_tests/nullstone/src/mod/mod_41.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_42.c,v

working file: c_tests/nullstone/src/mod/mod_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_43.c,v

working file: c_tests/nullstone/src/mod/mod_43.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_44.c,v
working file: c_tests/nullstone/src/mod/mod_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_45.c,v
working file: c_tests/nullstone/src/mod/mod_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_46.c,v
working file: c_tests/nullstone/src/mod/mod_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

```
      b4_rich: 1.1.1.1
      NS_3_8_8: 1.1.1.1
      NS_3_8_4: 1.1.1.1
      TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_47.c,v
working file: c_tests/nullstone/src/mod/mod_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
      b4_rich: 1.1.1.1
      NS_3_8_8: 1.1.1.1
      NS_3_8_4: 1.1.1.1
      TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_48.c,v
working file: c_tests/nullstone/src/mod/mod_48.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
      b4_rich: 1.1.1.1
      NS_3_8_8: 1.1.1.1
      NS_3_8_4: 1.1.1.1
      TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_49.c,v
working file: c_tests/nullstone/src/mod/mod_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_50.c,v
working file: c_tests/nullstone/src/mod/mod_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_51.c,v
working file: c_tests/nullstone/src/mod/mod_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_52.c,v
working file: c_tests/nullstone/src/mod/mod_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_53.c,v
working file: c_tests/nullstone/src/mod/mod_53.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_54.c,v
working file: c_tests/nullstone/src/mod/mod_54.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_55.c,v
working file: c_tests/nullstone/src/mod/mod_55.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_56.c,v
working file: c_tests/nullstone/src/mod/mod_56.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_57.c,v
working file: c_tests/nullstone/src/mod/mod_57.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_58.c,v
working file: c_tests/nullstone/src/mod/mod_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_59.c,v
working file: c_tests/nullstone/src/mod/mod_59.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_60.c,v
working file: c_tests/nullstone/src/mod/mod_60.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_61.c,v
working file: c_tests/nullstone/src/mod/mod_61.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

```
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_62.c,v
Working file: c_tests/nullstone/src/mod/mod_62.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_63.c,v
Working file: c_tests/nullstone/src/mod/mod_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_64.c,v
working file: c_tests/nullstone/src/mod/mod_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:32:01;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:32:02;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_65.c,v
working file: c_tests/nullstone/src/mod/mod_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:32:01;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:32:02;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_66.c,v
working file: c_tests/nullstone/src/mod/mod_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_67.c,v
working file: c_tests/nullstone/src/mod/mod_67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8.8: 1.1.1.1
 NS_3_8.4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_68.c,v
working file: c_tests/nullstone/src/mod/mod_68.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8.8: 1.1.1.1
 NS_3_8.4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_69.c,v
working file: c_tests/nullstone/src/mod/mod_69.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_70.c,v
working file: c_tests/nullstone/src/mod/mod_70.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_71.c,v
working file: c_tests/nullstone/src/mod/mod_71.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv


```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:02;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:03;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_72.c,v
working file: c_tests/nullstone/src/mod/mod_72.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:02;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:03;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_73.c,v
working file: c_tests/nullstone/src/mod/mod_73.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:03;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:04;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_74.c,v
working file: c_tests/nullstone/src/mod/mod_74.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_75.c,v
working file: c_tests/nullstone/src/mod/mod_75.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_76.c,v
working file: c_tests/nullstone/src/mod/mod_76.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
```

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_77.c,v

working file: c_tests/nullstone/src/mod/mod_77.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_78.c,v

working file: c_tests/nullstone/src/mod/mod_78.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_79.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone/src/mod/mod_79.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_80.c,v
working file: c_tests/nullstone/src/mod/mod_80.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_81.c,v
working file: c_tests/nullstone/src/mod/mod_81.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_82.c,v
Working file: c_tests/nullstone/src/mod/mod_82.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_83.c,v
Working file: c_tests/nullstone/src/mod/mod_83.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_84.c,v
Working file: c_tests/nullstone/src/mod/mod_84.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_85.c,v
working file: c_tests/nullstone/src/mod/mod_85.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_86.c,v
working file: c_tests/nullstone/src/mod/mod_86.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

```
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_87.c,v
working file: c_tests/nullstone/src/mod/mod_87.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_88.c,v
working file: c_tests/nullstone/src/mod/mod_88.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_89.c,v
working file: c_tests/nullstone/src/mod/mod_89.c
head: 1.1
```

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_90.c,v
working file: c_tests/nullstone/src/mod/mod_90.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_91.c,v
working file: c_tests/nullstone/src/mod/mod_91.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
```



```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_92.c,v
working file: c_tests/nullstone/src/mod/mod_92.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_01.c,v
working file: c_tests/nullstone/src/multiply/mul_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_02.c,v
working file: c_tests/nullstone/src/multiply/mul_02.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:43; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_03.c,v

working file: c_tests/nullstone/src/multiply/mul_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:43; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_04.c,v

working file: c_tests/nullstone/src/multiply/mul_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:43; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_05.c,v
working file: c_tests/nullstone/src/multiply/mul_05.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_06.c,v
working file: c_tests/nullstone/src/multiply/mul_06.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_07.c,v
working file: c_tests/nullstone/src/multiply/mul_07.c

head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_08.c,v

working file: c_tests/nullstone/src/multiply/mul_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_09.c,v

working file: c_tests/nullstone/src/multiply/mul_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_1.c,v

working file: c_tests/nullstone/src/multiply/mul_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_10.c,v

working file: c_tests/nullstone/src/multiply/mul_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_11.c,v

working file: c_tests/nullstone/src/multiply/mul_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_12.c,v

working file: c_tests/nullstone/src/multiply/mul_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_13.c,v

working file: c_tests/nullstone/src/multiply/mul_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_14.c,v
working file: c_tests/nullstone/src/multiply/mul_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_15.c,v
working file: c_tests/nullstone/src/multiply/mul_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_16.c,v
working file: c_tests/nullstone/src/multiply/mul_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_17.c,v
working file: c_tests/nullstone/src/multiply/mul_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_18.c,v
working file: c_tests/nullstone/src/multiply/mul_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_19.c,v
working file: c_tests/nullstone/src/multiply/mul_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_20.c,v
working file: c_tests/nullstone/src/multiply/mul_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_21.c,v
working file: c_tests/nullstone/src/multiply/mul_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

..

bz Feb 21-27 1995.log

```
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_22.c,v
working file: c_tests/nullstone/src/multiply/mul_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_23.c,v
working file: c_tests/nullstone/src/multiply/mul_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_24.c,v
working file: c_tests/nullstone/src/multiply/mul_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_25.c,v
working file: c_tests/nullstone/src/multiply/mul_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_26.c,v
working file: c_tests/nullstone/src/multiply/mul_26.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_27.c,v

working file: c_tests/nullstone/src/multiply/mul_27.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_28.c,v

working file: c_tests/nullstone/src/multiply/mul_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_29.c,v
working file: c_tests/nullstone/src/multiply/mul_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_30.c,v
working file: c_tests/nullstone/src/multiply/mul_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_31.c,v
working file: c_tests/nullstone/src/multiply/mul_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1

```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_32.c,v

working file: c_tests/nullstone/src/multiply/mul_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_33.c,v

working file: c_tests/nullstone/src/multiply/mul_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_34.c,v
Working file: c_tests/nullstone/src/multiply/mul_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_35.c,v
Working file: c_tests/nullstone/src/multiply/mul_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_36.c,v
Working file: c_tests/nullstone/src/multiply/mul_36.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
=====
```

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_37.c,v
working file: c_tests/nullstone/src/multiply/mul_37.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_38.c,v
working file: c_tests/nullstone/src/multiply/mul_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_39.c,v
working file: c_tests/nullstone/src/multiply/mul_39.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_40.c,v
working file: c_tests/nullstone/src/multiply/mul_40.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_41.c,v
working file: c_tests/nullstone/src/multiply/mul_41.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_42.c,v
working file: c_tests/nullstone/src/multiply/mul_42.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_43.c,v
working file: c_tests/nullstone/src/multiply/mul_43.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

                                bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_44.c,v
working file: c_tests/nullstone/src/multiply/mul_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_45.c,v
working file: c_tests/nullstone/src/multiply/mul_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_46.c,v
working file: c_tests/nullstone/src/multiply/mul_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2

```

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_47.c,v

working file: c_tests/nullstone/src/multiply/mul_47.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_48.c,v

working file: c_tests/nullstone/src/multiply/mul_48.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_49.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone/src/multiply/mul_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_50.c,v
working file: c_tests/nullstone/src/multiply/mul_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_51.c,v
working file: c_tests/nullstone/src/multiply/mul_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_52.c,v
working file: c_tests/nullstone/src/multiply/mul_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_53.c,v
working file: c_tests/nullstone/src/multiply/mul_53.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_54.c,v
working file: c_tests/nullstone/src/multiply/mul_54.c

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_55.c,v
working file: c_tests/nullstone/src/multiply/mul_55.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_56.c,v
working file: c_tests/nullstone/src/multiply/mul_56.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_57.c,v
Working file: c_tests/nullstone/src/multiply/mul_57.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_58.c,v
Working file: c_tests/nullstone/src/multiply/mul_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_59.c,v
Working file: c_tests/nullstone/src/multiply/mul_59.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_60.c,v

working file: c_tests/nullstone/src/multiply/mul_60.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_61.c,v

working file: c_tests/nullstone/src/multiply/mul_61.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_62.c,v
working file: c_tests/nullstone/src/multiply/mul_62.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_63.c,v
working file: c_tests/nullstone/src/multiply/mul_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_64.c,v
working file: c_tests/nullstone/src/multiply/mul_64.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_65.c,v

working file: c_tests/nullstone/src/multiply/mul_65.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_66.c,v

working file: c_tests/nullstone/src/multiply/mul_66.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:54; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_67.c,v
Working file: c_tests/nullstone/src/multiply/mul_67.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_68.c,v
Working file: c_tests/nullstone/src/multiply/mul_68.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_69.c,v
Working file: c_tests/nullstone/src/multiply/mul_69.c

head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_70.c,v

working file: c_tests/nullstone/src/multiply/mul_70.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_71.c,v

working file: c_tests/nullstone/src/multiply/mul_71.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:55; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_72.c,v

working file: c_tests/nullstone/src/multiply/mul_72.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_73.c,v

working file: c_tests/nullstone/src/multiply/mul_73.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_74.c,v

working file: c_tests/nullstone/src/multiply/mul_74.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_75.c,v

working file: c_tests/nullstone/src/multiply/mul_75.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_76.c,v

working file: c_tests/nullstone/src/multiply/mul_76.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_77.c,v
working file: c_tests/nullstone/src/multiply/mul_77.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_78.c,v
working file: c_tests/nullstone/src/multiply/mul_78.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_79.c,v
working file: c_tests/nullstone/src/multiply/mul_79.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

```

    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:56;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:57;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_80.c,v
working file: c_tests/nullstone/src/multiply/mul_80.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:57;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:58;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_81.c,v
working file: c_tests/nullstone/src/multiply/mul_81.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:57;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_82.c,v
working file: c_tests/nullstone/src/multiply/mul_82.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_83.c,v
working file: c_tests/nullstone/src/multiply/mul_83.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_84.c,v
working file: c_tests/nullstone/src/multiply/mul_84.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_85.c,v
working file: c_tests/nullstone/src/multiply/mul_85.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_86.c,v
working file: c_tests/nullstone/src/multiply/mul_86.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_87.c,v
working file: c_tests/nullstone/src/multiply/mul_87.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_88.c,v
working file: c_tests/nullstone/src/multiply/mul_88.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_89.c,v
working file: c_tests/nullstone/src/multiply/mul_89.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_90.c,v
working file: c_tests/nullstone/src/multiply/mul_90.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_91.c,v
working file: c_tests/nullstone/src/multiply/mul_91.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_92.c,v
working file: c_tests/nullstone/src/multiply/mul_92.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_93.c,v
working file: c_tests/nullstone/src/multiply/mul_93.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_94.c,v
working file: c_tests/nullstone/src/multiply/mul_94.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_95.c,v

working file: c_tests/nullstone/src/multiply/mul_95.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; . selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_96.c,v

working file: c_tests/nullstone/src/multiply/mul_96.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_97.c,v
working file: c_tests/nullstone/src/multiply/mul_97.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_98.c,v
working file: c_tests/nullstone/src/multiply/mul_98.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/narrow/shift_01.c,v
working file: c_tests/nullstone/src/narrow/shift_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```


bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:07; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/narrow/shift_02.c,v
working file: c_tests/nullstone/src/narrow/shift_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:07; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/narrow/shift_03.c,v
working file: c_tests/nullstone/src/narrow/shift_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:07; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_01.c,v
working file: c_tests/nullstone/src/pointer/ptr_01.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_02.c,v
working file: c_tests/nullstone/src/pointer/ptr_02.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_03.c,v
working file: c_tests/nullstone/src/pointer/ptr_03.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:16;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:17;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_04.c,v
working file: c_tests/nullstone/src/pointer/ptr_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:16;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:17;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_05.c,v
working file: c_tests/nullstone/src/pointer/ptr_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:16;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:17;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_06.c,v
working file: c_tests/nullstone/src/pointer/ptr_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_07.c,v
Working file: c_tests/nullstone/src/pointer/ptr_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_08.c,v
Working file: c_tests/nullstone/src/pointer/ptr_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_09.c,v

working file: c_tests/nullstone/src/pointer/ptr_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_10.c,v

working file: c_tests/nullstone/src/pointer/ptr_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_11.c,v

bz Feb 21-27 1995.log

working file: c_tests/nullstone/src/pointer/ptr_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_12.c,v

working file: c_tests/nullstone/src/pointer/ptr_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_13.c,v

working file: c_tests/nullstone/src/pointer/ptr_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_14.c,v
working file: c_tests/nullstone/src/pointer/ptr_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_15.c,v
working file: c_tests/nullstone/src/pointer/ptr_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/printf/printf_1.c,v
working file: c_tests/nullstone/src/printf/printf_1.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/printf/printf_2.c,v
working file: c_tests/nullstone/src/printf/printf_2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/printf/printf_3.c,v
working file: c_tests/nullstone/src/printf/printf_3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```


bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_01.c,v
working file: c_tests/nullstone/src/range/range_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_02.c,v
working file: c_tests/nullstone/src/range/range_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_03.c,v
working file: c_tests/nullstone/src/range/range_03.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8.8: 1.1.1.1

NS_3_8.4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_04.c,v

working file: c_tests/nullstone/src/range/range_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8.8: 1.1.1.1

NS_3_8.4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_05.c,v

working file: c_tests/nullstone/src/range/range_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8.8: 1.1.1.1

NS_3_8.4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_06.c,v
working file: c_tests/nullstone/src/range/range_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_07.c,v
working file: c_tests/nullstone/src/range/range_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_08.c,v
working file: c_tests/nullstone/src/range/range_08.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_09.c,v
working file: c_tests/nullstone/src/range/range_09.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_10.c,v
working file: c_tests/nullstone/src/range/range_10.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_11.c,v
working file: c_tests/nullstone/src/range/range_11.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_12.c,v
working file: c_tests/nullstone/src/range/range_12.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_13.c,v
working file: c_tests/nullstone/src/range/range_13.c

head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:01; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_14.c,v

working file: c_tests/nullstone/src/range/range_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:01; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_15.c,v

working file: c_tests/nullstone/src/range/range_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:01; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_16.c,v

working file: c_tests/nullstone/src/range/range_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_17.c,v

working file: c_tests/nullstone/src/range/range_17.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_18.c,v

working file: c_tests/nullstone/src/range/range_18.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_19.c,v

working file: c_tests/nullstone/src/range/range_19.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_20.c,v

working file: c_tests/nullstone/src/range/range_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_21.c,v
working file: c_tests/nullstone/src/range/range_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_22.c,v
working file: c_tests/nullstone/src/range/range_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_23.c,v
working file: c_tests/nullstone/src/range/range_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

```

    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_24.c,v
Working file: c_tests/nullstone/src/range/range_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_25.c,v
Working file: c_tests/nullstone/src/range/range_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_26.c,v
working file: c_tests/nullstone/src/range/range_26.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_27.c,v
working file: c_tests/nullstone/src/range/range_27.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_28.c,v
working file: c_tests/nullstone/src/range/range_28.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

bz Feb 21-27 1995.log

```
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_29.c,v
Working file: c_tests/nullstone/src/range/range_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/range/range_30.c,v
Working file: c_tests/nullstone/src/range/range_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/recur/recur_01.c,v
working file: c_tests/nullstone/src/recur/recur_01.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/recur/recur_02.c,v
working file: c_tests/nullstone/src/recur/recur_02.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/recur/recur_03.c,v
working file: c_tests/nullstone/src/recur/recur_03.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

```
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:11;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:12;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/recur/recur_04.c,v
working file: c_tests/nullstone/src/recur/recur_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:11;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:12;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/register/reg_01.c,v
working file: c_tests/nullstone/src/register/reg_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:05;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:06;  author: claseman;  state: Exp;  lines: +0 -0
```

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/register/reg_02.c,v
Working file: c_tests/nullstone/src/register/reg_02.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/register/reg_03.c,v
Working file: c_tests/nullstone/src/register/reg_03.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/register/reg_04.c,v
Working file: c_tests/nullstone/src/register/reg_04.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:05; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/spec/spec_01.c,v

working file: c_tests/nullstone/src/spec/spec_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/spec/spec_02.c,v

working file: c_tests/nullstone/src/spec/spec_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====


```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/static/static_1.c,v
working file: c_tests/nullstone/src/static/static_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:04;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:05;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/string/string_1.c,v
working file: c_tests/nullstone/src/string/string_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:07;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:08;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/string/string_2.c,v
working file: c_tests/nullstone/src/string/string_2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/string/string_3.c,v
Working file: c_tests/nullstone/src/string/string_3.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/string/string_4.c,v
Working file: c_tests/nullstone/src/string/string_4.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/template/template.c,v
Working file: c_tests/nullstone/src/template/template.c

head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/unswitch/unsw_01.c,v

Working file: c_tests/nullstone/src/unswitch/unsw_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/unswitch/unsw_02.c,v

Working file: c_tests/nullstone/src/unswitch/unsw_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:06; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/README,v
working file: c_tests/nullstone/src/volatile/README
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_01.c,v
working file: c_tests/nullstone/src/volatile/vol_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_02.c,v
working file: c_tests/nullstone/src/volatile/vol_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
=====
```

description:

revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_03.c,v

working file: c_tests/nullstone/src/volatile/vol_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_04.c,v

working file: c_tests/nullstone/src/volatile/vol_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_05.c,v

working file: c_tests/nullstone/src/volatile/vol_05.c

head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_06.c,v
working file: c_tests/nullstone/src/volatile/vol_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_07.c,v
working file: c_tests/nullstone/src/volatile/vol_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_08.c,v
working file: c_tests/nullstone/src/volatile/vol_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_09.c,v
working file: c_tests/nullstone/src/volatile/vol_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_11.c,v
working file: c_tests/nullstone/src/volatile/vol_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_12.c,v

working file: c_tests/nullstone/src/volatile/vol_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_13.c,v

working file: c_tests/nullstone/src/volatile/vol_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====


```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_14.c,v
working file: c_tests/nullstone/src/volatile/vol_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_15.c,v
working file: c_tests/nullstone/src/volatile/vol_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_16.c,v
working file: c_tests/nullstone/src/volatile/vol_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1

```

```
bz Feb 21-27 1995.log
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_17.c,v
working file: c_tests/nullstone/src/volatile/vol_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_18.c,v
working file: c_tests/nullstone/src/volatile/vol_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_19.c,v
working file: c_tests/nullstone/src/volatile/vol_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_20.c,v

Working file: c_tests/nullstone/src/volatile/vol_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_21.c,v

Working file: c_tests/nullstone/src/volatile/vol_21.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_22.c,v
working file: c_tests/nullstone/src/volatile/vol_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_23.c,v
working file: c_tests/nullstone/src/volatile/vol_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_24.c,v
working file: c_tests/nullstone/src/volatile/vol_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2

```

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_25.c,v

Working file: c_tests/nullstone/src/volatile/vol_25.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/analysis.c,v

Working file: c_tests/nullstone_3_8_4/analysis.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:12; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/boolean.h,v

Working file: c_tests/nullstone_3_8_4/boolean.h

head: 1.1

branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/chart.c,v

Working file: c_tests/nullstone_3_8_4/chart.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:31:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/commands,v

Working file: c_tests/nullstone_3_8_4/commands

head: 1.2

branch:

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 3
description:

revision 1.2

date: 1995/02/24 22:26:04; author: claseman; state: Exp; lines: +14 -14
change from stb to osf

revision 1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config.bat,v
working file: c_tests/nullstone_3_8_4/config.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config.mpw,v
working file: c_tests/nullstone_3_8_4/config.mpw
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config.sh,v
working file: c_tests/nullstone_3_8_4/config.sh
head: 1.3
branch:
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 4; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/driver.c,v

working file: c_tests/nullstone_3_8_4/driver.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/error.c,v

working file: c_tests/nullstone_3_8_4/error.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:12; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/error.log,v

working file: c_tests/nullstone_3_8_4/error.log

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/gui.c,v

working file: c_tests/nullstone_3_8_4/gui.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/kernels.h,v

working file: c_tests/nullstone_3_8_4/kernels.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3.8.4/libnull.c,v
working file: c_tests/nullstone_3.8.4/libnull.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:

NS_3.8.4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3.8.4/main.c,v
working file: c_tests/nullstone_3.8.4/main.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3.8.4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3.8.4/notice.txt,v
working file: c_tests/nullstone_3.8.4/notice.txt
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3.8.4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/page.c,v
working file: c_tests/nullstone_3_8_4/page.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/page.h,v
working file: c_tests/nullstone_3_8_4/page.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/parse.c,v
working file: c_tests/nullstone_3_8_4/parse.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/parse.h,v
working file: c_tests/nullstone_3_8_4/parse.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/reprtgen.c,v
working file: c_tests/nullstone_3_8_4/reprtgen.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/Attic/stderr.dat,v
working file: c_tests/nullstone_3_8_4/stderr.dat
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/Attic/stdout.dat,v

working file: c_tests/nullstone_3_8_4/stdout.dat

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/Attic/stone.dat,v

working file: c_tests/nullstone_3_8_4/stone.dat

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/testlist,v
working file: c_tests/nullstone_3_8_4/testlist
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

```
-----
revision 1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/tick.c,v
working file: c_tests/nullstone_3_8_4/tick.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

```
-----
revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/tick.h,v
working file: c_tests/nullstone_3_8_4/tick.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

```
-----
revision 1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/tokens.h,v
working file: c_tests/nullstone_3_8_4/tokens.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/values.h,v
working file: c_tests/nullstone_3_8_4/values.h
head: 1.2
branch:
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/version.h,v
working file: c_tests/nullstone_3_8_4/version.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/alpha/commands,v
working file: c_tests/nullstone_3_8_4/config/alpha/commands
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/alpha/config.h,v
working file: c_tests/nullstone_3_8_4/config/alpha/config.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/alpha/makefile,v
working file: c_tests/nullstone_3_8_4/config/alpha/makefile
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/mac040/analysis.mak,v

working file: c_tests/nullstone_3_8_4/config/mac040/analysis.mak

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/mac040/config.h,v

working file: c_tests/nullstone_3_8_4/config/mac040/config.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/mac040/driver.mak,v
working file: c_tests/nullstone_3_8_4/config/mac040/driver.mak
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/mac040/driver.mpw,v
working file: c_tests/nullstone_3_8_4/config/mac040/driver.mpw
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/mac040/readme,v
working file: c_tests/nullstone_3_8_4/config/mac040/readme
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1

```

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/pentium/commands,v
Working file: c_tests/nullstone_3_8_4/config/pentium/commands
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/pentium/config.h,v
Working file: c_tests/nullstone_3_8_4/config/pentium/config.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/pentium/makefile,v
Working file: c_tests/nullstone_3_8_4/config/pentium/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1

```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/rs6000/commands,v

working file: c_tests/nullstone_3_8_4/config/rs6000/commands

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/rs6000/config.h,v

working file: c_tests/nullstone_3_8_4/config/rs6000/config.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/rs6000/makefile,v

working file: c_tests/nullstone_3_8_4/config/rs6000/makefile

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/sparc/commands,v
working file: c_tests/nullstone_3_8_4/config/sparc/commands

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/sparc/config.h,v
working file: c_tests/nullstone_3_8_4/config/sparc/config.h

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

```
bz Feb 21-27 1995.log
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/sparc/makefile,v
Working file: c_tests/nullstone_3_8_4/config/sparc/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/template/commands,v
Working file: c_tests/nullstone_3_8_4/config/template/commands
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/template/config.h,v
Working file: c_tests/nullstone_3_8_4/config/template/config.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

```
revision 1.1
date: 1995/02/24 00:31:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/template/makefile,v
working file: c_tests/nullstone_3_8_4/config/template/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/terp/commands,v
working file: c_tests/nullstone_3_8_4/config/terp/commands
head: 1.3
branch:
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/terp/config.h,v
working file: c_tests/nullstone_3_8_4/config/terp/config.h
head: 1.3
branch:
locks: strict
access list:
symbolic names:
```

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/terp/makefile,v
working file: c_tests/nullstone_3_8_4/config/terp/makefile
head: 1.2
branch:
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/address/addr_01.c,v
working file: c_tests/nullstone_3_8_4/src/address/addr_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/address/addr_02.c,v


```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/address/addr_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_01.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_02.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_03.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_04.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_05.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_06.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_07.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_08.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_09.c,v

working file: c_tests/nullstone_3_8_4/src/alias/alias_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_10.c,v

working file: c_tests/nullstone_3_8_4/src/alias/alias_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_11.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_12.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_12.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_20.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_21.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_22.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/alias/alias_23.c,v
working file: c_tests/nullstone_3_8_4/src/alias/alias_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/bitfield/bit_01.c,v
working file: c_tests/nullstone_3_8_4/src/bitfield/bit_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/bitfield/bit_02.c,v
working file: c_tests/nullstone_3_8_4/src/bitfield/bit_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/bitfield/bit_03.c,v
working file: c_tests/nullstone_3_8_4/src/bitfield/bit_03.c
head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_01.c,v

Working file: c_tests/nullstone_3_8_4/src/branch/br_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_02.c,v

Working file: c_tests/nullstone_3_8_4/src/branch/br_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_03.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_03.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_04.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_04.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_05.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_05.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_06.c,v

working file: c_tests/nullstone_3_8_4/src/branch/br_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_07.c,v

working file: c_tests/nullstone_3_8_4/src/branch/br_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_08.c,v

working file: c_tests/nullstone_3_8_4/src/branch/br_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_09.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_10.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_11.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_11.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_12.c,v
Working file: c_tests/nullstone_3_8_4/src/branch/br_12.c

head: 1.1
branch: 1.1.1

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_13.c,v
Working file: c_tests/nullstone_3_8_4/src/branch/br_13.c

head: 1.1
branch: 1.1.1

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_14.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:15;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:16;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_15.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:15;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:16;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_16.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:15;  author: claseman;  state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_01.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_02.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_03.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_04.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_05.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_06.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_06.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_07.c,v

working file: c_tests/nullstone_3_8_4/src/combine/comb_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_08.c,v

working file: c_tests/nullstone_3_8_4/src/combine/comb_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_09.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_10.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_11.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_12.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_13.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_14.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

```
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_15.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_16.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_17.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_17.c
```

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_18.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_18.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_19.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_19.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_20.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_21.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_22.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_23.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_24.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_25.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_31.c,v
Working file: c_tests/nullstone_3_8_4/src/combine/comb_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_32.c,v
Working file: c_tests/nullstone_3_8_4/src/combine/comb_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_33.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/combine/comb_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_34.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_35.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```


bz Feb 21-27 1995.log

revision 1.1.1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_36.c,v

working file: c_tests/nullstone_3_8_4/src/combine/comb_36.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_37.c,v

working file: c_tests/nullstone_3_8_4/src/combine/comb_37.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_38.c,v

working file: c_tests/nullstone_3_8_4/src/combine/comb_38.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

```
-----  
revision 1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----
```

```
revision 1.1.1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_39.c,v  
Working file: c_tests/nullstone_3_8_4/src/combine/comb_39.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS_3_8_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:  
-----
```

```
revision 1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----
```

```
revision 1.1.1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_40.c,v  
Working file: c_tests/nullstone_3_8_4/src/combine/comb_40.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS_3_8_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:  
-----
```

```
revision 1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----
```

```
revision 1.1.1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_41.c,v  
Working file: c_tests/nullstone_3_8_4/src/combine/comb_41.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:
```

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_42.c,v

working file: c_tests/nullstone_3_8_4/src/combine/comb_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_43.c,v

working file: c_tests/nullstone_3_8_4/src/combine/comb_43.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_44.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_45.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_46.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

revision 1.1.1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_47.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_48.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_48.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_49.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

description:

revision 1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_50.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_51.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_52.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_52.c
head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_53.c,v

Working file: c_tests/nullstone_3_8_4/src/combine/comb_53.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_54.c,v

Working file: c_tests/nullstone_3_8_4/src/combine/comb_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_55.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_55.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_61.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_61.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_62.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_62.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

```
-----
revision 1.1.1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_63.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_64.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_65.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
```

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_66.c,v
Working file: c_tests/nullstone_3_8_4/src/combine/comb_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_67.c,v
Working file: c_tests/nullstone_3_8_4/src/combine/comb_67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_68.c,v
Working file: c_tests/nullstone_3_8_4/src/combine/comb_68.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_69.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_69.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_70.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_70.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_71.c,v
Working file: c_tests/nullstone_3_8_4/src/combine/comb_71.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:25;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:26;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_72.c,v
Working file: c_tests/nullstone_3_8_4/src/combine/comb_72.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:25;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:26;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_73.c,v
Working file: c_tests/nullstone_3_8_4/src/combine/comb_73.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:25;  author: claseman;  state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_74.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_74.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_75.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_75.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_76.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_76.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_77.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_77.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_78.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_78.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_79.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_79.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_80.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_80.c
head: 1.1

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_81.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_81.c
head: 1.1

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_82.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_82.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_83.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_83.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_84.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_84.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1


```
bz Feb 21-27 1995.log
date: 1995/02/24 00:32:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_85.c,v
Working file: c_tests/nullstone_3_8_4/src/combine/comb_85.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_01.c,v
Working file: c_tests/nullstone_3_8_4/src/consfold/fold_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_02.c,v
Working file: c_tests/nullstone_3_8_4/src/consfold/fold_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_03.c,v

working file: c_tests/nullstone_3_8_4/src/consfold/fold_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_04.c,v

working file: c_tests/nullstone_3_8_4/src/consfold/fold_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_05.c,v

working file: c_tests/nullstone_3_8_4/src/consfold/fold_05.c

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_06.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_06.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_07.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_07.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_08.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_09.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_10.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_11.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_12.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_13.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_14.c,v

working file: c_tests/nullstone_3_8_4/src/consfold/fold_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_15.c,v

working file: c_tests/nullstone_3_8_4/src/consfold/fold_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_16.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/consfold/fold_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_17.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_18.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_19.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_20.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_21.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

```
-----
revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_22.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_23.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_24.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_25.c,v

working file: c_tests/nullstone_3_8_4/src/consfold/fold_25.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_26.c,v

working file: c_tests/nullstone_3_8_4/src/consfold/fold_26.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_27.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_27.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:30;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_28.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_28.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:30;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_31.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
```

revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_32.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_33.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_34.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_35.c,v

Working file: c_tests/nullstone_3_8_4/src/consfold/fold_35.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_36.c,v

Working file: c_tests/nullstone_3_8_4/src/consfold/fold_36.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_37.c,v

Working file: c_tests/nullstone_3_8_4/src/consfold/fold_37.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_38.c,v

working file: c_tests/nullstone_3_8_4/src/consfold/fold_38.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_39.c,v

working file: c_tests/nullstone_3_8_4/src/consfold/fold_39.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_40.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_40.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_41.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_41.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_42.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_42.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_43.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_43.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_44.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_45.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv


```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_46.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_47.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_48.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_48.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_49.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_49.c

head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_50.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_50.c

head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

bz Feb 21-27 1995.log

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_51.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_52.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_53.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_53.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_54.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_54.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_55.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_55.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_56.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_56.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_57.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_57.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_58.c,v
working file: c_tests/nullstone_3_8_4/src/consfold/fold_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_01.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_01.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_02.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_03.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_04.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_05.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_06.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_07.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_08.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_09.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_10.c,v

working file: c_tests/nullstone_3_8_4/src/consprop/prop_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_11.c,v

working file: c_tests/nullstone_3_8_4/src/consprop/prop_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_12.c,v

working file: c_tests/nullstone_3_8_4/src/consprop/prop_12.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_13.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_14.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_15.c,v
Working file: c_tests/nullstone_3_8_4/src/consprop/prop_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_01.c,v
Working file: c_tests/nullstone_3_8_4/src/cse/cse_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_02.c,v
Working file: c_tests/nullstone_3_8_4/src/cse/cse_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_03.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_04.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_05.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

```
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:36;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:37;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_06.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:36;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:37;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_07.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:36;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:37;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_08.c,v
```

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/cse/cse_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_09.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_10.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_11.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_12.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_13.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_14.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/cse/cse_15.c,v
working file: c_tests/nullstone_3_8_4/src/cse/cse_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_01.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_02.c,v

working file: c_tests/nullstone_3_8_4/src/dead/dead_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names: /

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_03.c,v

working file: c_tests/nullstone_3_8_4/src/dead/dead_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

```

                                bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_04.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_05.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_06.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_07.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_08.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_09.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_10.c,v

Working file: c_tests/nullstone_3_8_4/src/dead/dead_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_11.c,v

Working file: c_tests/nullstone_3_8_4/src/dead/dead_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_12.c,v

Working file: c_tests/nullstone_3_8_4/src/dead/dead_12.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_13.c,v

working file: c_tests/nullstone_3_8_4/src/dead/dead_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_14.c,v

working file: c_tests/nullstone_3_8_4/src/dead/dead_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_15.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_15.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_16.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_16.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_17.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_17.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_18.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_19.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_20.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_21.c,v
Working file: c_tests/nullstone_3_8_4/src/dead/dead_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_22.c,v
Working file: c_tests/nullstone_3_8_4/src/dead/dead_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_23.c,v
Working file: c_tests/nullstone_3_8_4/src/dead/dead_23.c
head: 1.1
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/dead/dead_24.c,v
working file: c_tests/nullstone_3_8_4/src/dead/dead_24.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_01.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_01.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_02.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_03.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_04.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_05.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_06.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_07.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_08.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_09.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_10.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_10.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_11.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_12.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_13.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_14.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_15.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_16.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_17.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_18.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_19.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_19.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_20.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_21.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_21.c

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_22.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_23.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_24.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_25.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_26.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_26.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_27.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_27.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_28.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_28.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_29.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_30.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_30.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_31.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_31.c

head: 1.2

branch:

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_32.c,v

bz Feb 21-27 1995.log

working file: c_tests/nullstone_3_8_4/src/divide/div_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_33.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_34.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_34.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_35.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_35.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_36.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_36.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_37.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_37.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_38.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_39.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_40.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_40.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_41.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_41.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_42.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_43.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_43.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_44.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_45.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_46.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_47.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_48.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_48.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_49.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_50.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_51.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_51.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_52.c,v

Working file: c_tests/nullstone_3_8_4/src/divide/div_52.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_53.c,v

Working file: c_tests/nullstone_3_8_4/src/divide/div_53.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_54.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_54.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_55.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_55.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_56.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_56.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_57.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_57.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_58.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_59.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_59.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_60.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_60.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_61.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_61.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_62.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_62.c
head: 1.1
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_63.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_63.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_64.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_64.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4


```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_65.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_66.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_67.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_68.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_68.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_69.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_69.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_70.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_70.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_71.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_71.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_72.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_72.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_73.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_73.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_74.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_74.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_75.c,v

working file: c_tests/nullstone_3_8_4/src/divide/div_75.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_76.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_76.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_77.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_77.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_78.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_78.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_79.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_79.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_80.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_80.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_81.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_81.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

```
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_82.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_82.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_83.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_83.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_84.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_84.c
```

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_85.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_85.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_86.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_86.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```


bz Feb 21-27 1995.log
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_87.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_87.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_88.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_88.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_89.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_89.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_90.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_90.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_91.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_91.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_92.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_92.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/ndiv_01.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/ndiv_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/ndiv_02.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/ndiv_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/ndiv_03.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/divide/ndiv_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/ndiv_04.c,v
working file: c_tests/nullstone_3_8_4/src/divide/ndiv_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_01.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

bz Feb 21-27 1995.log

revision 1.1.1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_02.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_03.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_04.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:31:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_05.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_06.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_07.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_08.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_09.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_10.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_100.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_100.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_101.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_101.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```


bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_102.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_102.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_103.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_103.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_104.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_104.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_105.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_105.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_106.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_106.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_107.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_107.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_108.c,v

Working file: c_tests/nullstone_3_8_4/src/expr/expr_108.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_11.c,v

Working file: c_tests/nullstone_3_8_4/src/expr/expr_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_13.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_14.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_15.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_16.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_17.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_18.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
```

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_19.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_20.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_30.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_30.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_31.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_31.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_32.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_33.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_34.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_35.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
```


bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_36.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_36.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_37.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_37.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_38.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_39.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_40.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_40.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_41.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_41.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_42.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_43.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_43.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_44.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_45.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_46.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_47.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_48.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_48.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_49.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_50.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_51.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_51.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_52.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_52.c

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_53.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_53.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_54.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_54.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_55.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_55.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_56.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_56.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_57.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_57.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_58.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_59.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_59.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_60.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_60.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

```
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_61.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_61.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_62.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_62.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_63.c,v
```

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/expr/expr_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_64.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_65.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_66.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_67.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_68.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_68.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_69.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_69.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_70.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_70.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_71.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_71.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_72.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_72.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_73.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_73.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_74.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_74.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_75.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_75.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_76.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_76.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_77.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_77.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_78.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_78.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_79.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_79.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_80.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_80.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_81.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_81.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_82.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_82.c
head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_83.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_83.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_84.c,v

working file: c_tests/nullstone_3_8_4/src/expr/expr_84.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_85.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_85.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_86.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_86.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_87.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_87.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_88.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_88.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_89.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_89.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_90.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_90.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:41;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:42;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_91.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_91.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:41;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:42;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_92.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_92.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:41;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:42;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_93.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_93.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_94.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_94.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_95.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_95.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_96.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_96.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_97.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_97.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_98.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_98.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_99.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_99.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/fstore/fstore_1.c,v
working file: c_tests/nullstone_3_8_4/src/fstore/fstore_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/fstore/fstore_2.c,v
working file: c_tests/nullstone_3_8_4/src/fstore/fstore_2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/fstore/fstore_3.c,v
working file: c_tests/nullstone_3_8_4/src/fstore/fstore_3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_01.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_02.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_02.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_03.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_03.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_04.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_04.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_05.c,v
Working file: c_tests/nullstone_3_8_4/src/hoist/hoist_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_06.c,v
Working file: c_tests/nullstone_3_8_4/src/hoist/hoist_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_07.c,v
Working file: c_tests/nullstone_3_8_4/src/hoist/hoist_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_08.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----

```

```

revision 1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_09.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----

```

```

revision 1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_10.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1

```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_11.c,v

working file: c_tests/nullstone_3_8_4/src/hoist/hoist_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_12.c,v

working file: c_tests/nullstone_3_8_4/src/hoist/hoist_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_13.c,v

working file: c_tests/nullstone_3_8_4/src/hoist/hoist_13.c

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_14.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_15.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_16.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_17.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_18.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_19.c,v
Working file: c_tests/nullstone_3_8_4/src/hoist/hoist_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_20.c,v
Working file: c_tests/nullstone_3_8_4/src/hoist/hoist_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_21.c,v
Working file: c_tests/nullstone_3_8_4/src/hoist/hoist_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_22.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_23.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_24.c,v

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_24.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_25.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_25.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_26.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_26.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_27.c,v

working file: c_tests/nullstone_3_8_4/src/hoist/hoist_27.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_28.c,v

working file: c_tests/nullstone_3_8_4/src/hoist/hoist_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_29.c,v

working file: c_tests/nullstone_3_8_4/src/hoist/hoist_29.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_30.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_31.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_32.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_33.c,v

working file: c_tests/nullstone_3_8_4/src/hoist/hoist_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_34.c,v

working file: c_tests/nullstone_3_8_4/src/hoist/hoist_34.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_35.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_36.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_36.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_37.c,v
working file: c_tests/nullstone_3_8_4/src/hoist/hoist_37.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_01.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_02.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_03.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:32:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_04.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_05.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_06.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_06.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_07.c,v

Working file: c_tests/nullstone_3_8_4/src/if/if_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_08.c,v

Working file: c_tests/nullstone_3_8_4/src/if/if_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_09.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_09.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_10.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_10.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_11.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_11.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

```

revision 1.1.1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_12.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====

```

```

revision 1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====

```

```

revision 1.1.1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_13.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====

```

```

revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====

```

```

revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_14.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
=====

```

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_15.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_16.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_17.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_17.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_18.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_18.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_19.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_19.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_20.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_21.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_22.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_23.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_24.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_25.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_26.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_26.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_27.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_27.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_28.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_28.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_29.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_29.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_30.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_30.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_31.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_32.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_33.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_34.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_34.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_35.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_35.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_36.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_36.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_37.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_37.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_38.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_38.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_39.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_39.c

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_40.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_40.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_41.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_41.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_42.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_42.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_43.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_43.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_44.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_45.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_46.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_47.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_48.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_48.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_49.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_50.c,v


```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/if/if_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_51.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_52.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_53.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_53.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_54.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_54.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_55.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_55.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_56.c,v
Working file: c_tests/nullstone_3_8_4/src/if/if_56.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_57.c,v
Working file: c_tests/nullstone_3_8_4/src/if/if_57.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_58.c,v
Working file: c_tests/nullstone_3_8_4/src/if/if_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_59.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_59.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_60.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_60.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_61.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_61.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_62.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_62.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_63.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_64.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_65.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_66.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_67.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_67.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_68.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_68.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_69.c,v

working file: c_tests/nullstone_3_8_4/src/if/if_69.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/inline/inline_1.c,v

working file: c_tests/nullstone_3_8_4/src/inline/inline_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/inline/inline_2.c,v

working file: c_tests/nullstone_3_8_4/src/inline/inline_2.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/inline/inline_3.c,v
working file: c_tests/nullstone_3_8_4/src/inline/inline_3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/ive/ive_01.c,v
working file: c_tests/nullstone_3_8_4/src/ive/ive_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/collapse/clpse_01.c,v
working file: c_tests/nullstone_3_8_4/src/loop/collapse/clpse_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/collapse/clpse_02.c,v
working file: c_tests/nullstone_3_8_4/src/loop/collapse/clpse_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/collapse/clpse_03.c,v
working file: c_tests/nullstone_3_8_4/src/loop/collapse/clpse_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/collapse/clpse_04.c,v
working file: c_tests/nullstone_3_8_4/src/loop/collapse/clpse_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/fusion/fusion_1.c,v
working file: c_tests/nullstone_3_8_4/src/loop/fusion/fusion_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/fusion/fusion_2.c,v
working file: c_tests/nullstone_3_8_4/src/loop/fusion/fusion_2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_08.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_08.c
head: 1.2
branch:

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_09.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_09.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_1.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_1.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

bz Feb 21-27 1995.log

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_10.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_11.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_12.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_13.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_13.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_14.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_14.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_15.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_15.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_16.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_17.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_3.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_3.c
head: 1.1

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_4.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_5.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_5.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
```


nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_6.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_6.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----

```

```

revision 1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

```

revision 1.1.1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_7.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_7.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----

```

```

revision 1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

```

revision 1.1.1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/unroll/unroll_1.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/unroll/unroll_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/unroll/unroll_2.c,v
working file: c_tests/nullstone_3_8_4/src/loop/unroll/unroll_2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/unroll/unroll_3.c,v
working file: c_tests/nullstone_3_8_4/src/loop/unroll/unroll_3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/unroll/unroll_4.c,v
working file: c_tests/nullstone_3_8_4/src/loop/unroll/unroll_4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

```
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/unroll/unroll_5.c,v
working file: c_tests/nullstone_3_8_4/src/loop/unroll/unroll_5.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_01.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_02.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_02.c
```

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_03.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_04.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_05.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_06.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_11.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

```
revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_12.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_13.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_14.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_15.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_16.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/merge/merge_1.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/merge/merge_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/merge/merge_2.c,v
working file: c_tests/nullstone_3_8_4/src/merge/merge_2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/merge/merge_3.c,v
working file: c_tests/nullstone_3_8_4/src/merge/merge_3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```


bz Feb 21-27 1995.log

revision 1.1.1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/merge/merge_4.c,v

working file: c_tests/nullstone_3_8_4/src/merge/merge_4.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/merge/merge_5.c,v

working file: c_tests/nullstone_3_8_4/src/merge/merge_5.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:11; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_01.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

```
-----
revision 1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_02.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_03.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_04.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_05.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_06.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_07.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_08.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_09.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_10.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_11.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_12.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1
date: 1995/02/24 00:31:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_13.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_14.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_15.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_15.c
head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_16.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_17.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_17.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_18.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_18.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_19.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_19.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_20.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_20.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:52; author: claseman; state: Exp;
branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_21.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_21.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_22.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_22.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_23.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_23.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_24.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_25.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_26.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_26.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_27.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_27.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_28.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_28.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_29.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:54;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:55;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_30.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:54;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:55;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_31.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:54;  author: claseman;  state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_32.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_33.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_34.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_35.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_36.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_36.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_37.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_37.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_38.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_39.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_40.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_40.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_41.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_41.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_42.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_42.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1


```
bz Feb 21-27 1995.log
date: 1995/02/24 00:31:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_43.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_43.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_44.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_45.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

```
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_46.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_47.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_48.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_48.c
```

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_49.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_50.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_51.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_52.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_53.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_53.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_54.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_54.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_55.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_55.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_56.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_56.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_57.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_57.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_58.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_58.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_59.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/mod/mod_59.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_60.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_60.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_61.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_61.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_62.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_62.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_63.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_64.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_65.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_66.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_67.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_68.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_68.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_69.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_69.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_70.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_70.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_71.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_71.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_72.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_72.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_73.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_73.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_74.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_74.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_75.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_75.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_76.c,v

Working file: c_tests/nullstone_3_8_4/src/mod/mod_76.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_77.c,v

Working file: c_tests/nullstone_3_8_4/src/mod/mod_77.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_78.c,v

Working file: c_tests/nullstone_3_8_4/src/mod/mod_78.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_79.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_79.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_80.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_80.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_81.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_81.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_82.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_82.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_83.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_83.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_84.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_84.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_85.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_85.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:05; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_86.c,v

working file: c_tests/nullstone_3_8_4/src/mod/mod_86.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv


```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_87.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_87.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_88.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_88.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_89.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_89.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_90.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_90.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_91.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_91.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

bz Feb 21-27 1995.log

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_92.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_92.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_01.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_02.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:42; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_03.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_03.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_04.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_04.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_05.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_05.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_06.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_07.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_08.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_08.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_09.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_1.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_10.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_11.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_12.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_13.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_14.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_15.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1

```


bz Feb 21-27 1995.log

```
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_16.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_17.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_18.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_18.c
```

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_19.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_20.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_21.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_22.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_23.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_24.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_25.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_26.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_26.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_27.c,v

working file: c_tests/nullstone_3_8_4/src/multiply/mul_27.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_28.c,v

working file: c_tests/nullstone_3_8_4/src/multiply/mul_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_29.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/multiply/mul_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_30.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_31.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_32.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_33.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_34.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_35.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_36.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_36.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_37.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_37.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_38.c,v

working file: c_tests/nullstone_3_8_4/src/multiply/mul_38.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_39.c,v

working file: c_tests/nullstone_3_8_4/src/multiply/mul_39.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

```
bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_40.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_40.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_41.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_41.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_42.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_42.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_43.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_43.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_44.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_45.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_46.c,v

working file: c_tests/nullstone_3_8_4/src/multiply/mul_46.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_47.c,v

working file: c_tests/nullstone_3_8_4/src/multiply/mul_47.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_48.c,v

working file: c_tests/nullstone_3_8_4/src/multiply/mul_48.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_49.c,v

Working file: c_tests/nullstone_3_8_4/src/multiply/mul_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_50.c,v

Working file: c_tests/nullstone_3_8_4/src/multiply/mul_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_51.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_52.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_53.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_53.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
;

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_54.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_54.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_55.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_55.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_56.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_56.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_57.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_57.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_58.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_59.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_59.c
head: 1.1
branch: 1.1.1

```


bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_60.c,v

working file: c_tests/nullstone_3_8_4/src/multiply/mul_60.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_61.c,v

working file: c_tests/nullstone_3_8_4/src/multiply/mul_61.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_62.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_62.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_63.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_64.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_65.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_66.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_67.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_68.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_68.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_69.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_69.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_70.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_70.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_71.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_71.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_72.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_72.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_73.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_73.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_74.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_74.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_75.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_75.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_76.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_76.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_77.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_77.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_78.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_78.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1

```

bz Feb 21-27 1995.log

TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_79.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_79.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_80.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_80.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_81.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_81.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_82.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_82.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_83.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_83.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_84.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_84.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_85.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_85.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_86.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_86.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_87.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_87.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_88.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_88.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_89.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_89.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_90.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_90.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_91.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_91.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_92.c,v

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/multiply/mul_92.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_93.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_93.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_94.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_94.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_95.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_95.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_96.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_96.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_97.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_97.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_98.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_98.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/narrow/shift_01.c,v
working file: c_tests/nullstone_3_8_4/src/narrow/shift_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:07; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/narrow/shift_02.c,v
working file: c_tests/nullstone_3_8_4/src/narrow/shift_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/narrow/shift_03.c,v

working file: c_tests/nullstone_3_8_4/src/narrow/shift_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_01.c,v

working file: c_tests/nullstone_3_8_4/src/pointer/ptr_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_02.c,v
working file: c_tests/nullstone_3_8_4/src/pointer/ptr_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_03.c,v
working file: c_tests/nullstone_3_8_4/src/pointer/ptr_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_04.c,v
working file: c_tests/nullstone_3_8_4/src/pointer/ptr_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_05.c,v
working file: c_tests/nullstone_3_8_4/src/pointer/ptr_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_06.c,v
working file: c_tests/nullstone_3_8_4/src/pointer/ptr_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_07.c,v
working file: c_tests/nullstone_3_8_4/src/pointer/ptr_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_08.c,v

working file: c_tests/nullstone_3_8_4/src/pointer/ptr_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_09.c,v

working file: c_tests/nullstone_3_8_4/src/pointer/ptr_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_10.c,v

working file: c_tests/nullstone_3_8_4/src/pointer/ptr_10.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_11.c,v

working file: c_tests/nullstone_3_8_4/src/pointer/ptr_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_12.c,v

working file: c_tests/nullstone_3_8_4/src/pointer/ptr_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_13.c,v
working file: c_tests/nullstone_3_8_4/src/pointer/ptr_13.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_14.c,v
working file: c_tests/nullstone_3_8_4/src/pointer/ptr_14.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/pointer/ptr_15.c,v
working file: c_tests/nullstone_3_8_4/src/pointer/ptr_15.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/printf/printf_1.c,v
working file: c_tests/nullstone_3_8_4/src/printf/printf_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/printf/printf_2.c,v
working file: c_tests/nullstone_3_8_4/src/printf/printf_2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/printf/printf_3.c,v
working file: c_tests/nullstone_3_8_4/src/printf/printf_3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_01.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_02.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_03.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_03.c
head: 1.1
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_04.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_05.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

bz Feb 21-27 1995.log

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_06.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

```
-----
revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_07.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

```
-----
revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_08.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

```
-----
revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_09.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_10.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_11.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_12.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_13.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_14.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_14.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_15.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_15.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_16.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_16.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_17.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_17.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_18.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_18.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_19.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_19.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_20.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_21.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_22.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

```
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_23.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_24.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_25.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_25.c
```

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_26.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_26.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_27.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_27.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_28.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_28.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_29.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_30.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/recur/recur_01.c,v
Working file: c_tests/nullstone_3_8_4/src/recur/recur_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/recur/recur_02.c,v
Working file: c_tests/nullstone_3_8_4/src/recur/recur_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/recur/recur_03.c,v
Working file: c_tests/nullstone_3_8_4/src/recur/recur_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/recur/recur_04.c,v
working file: c_tests/nullstone_3_8_4/src/recur/recur_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/register/reg_01.c,v
working file: c_tests/nullstone_3_8_4/src/register/reg_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/register/reg_02.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone_3_8_4/src/register/reg_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/register/reg_03.c,v
working file: c_tests/nullstone_3_8_4/src/register/reg_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/register/reg_04.c,v
working file: c_tests/nullstone_3_8_4/src/register/reg_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

bz Feb 21-27 1995.log

revision 1.1.1.1

date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/spec/spec_01.c,v

working file: c_tests/nullstone_3_8_4/src/spec/spec_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/spec/spec_02.c,v

working file: c_tests/nullstone_3_8_4/src/spec/spec_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/static/static_1.c,v

working file: c_tests/nullstone_3_8_4/src/static/static_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

revision 1.1

date: 1995/02/24 00:33:04; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/string/string_1.c,v

working file: c_tests/nullstone_3_8_4/src/string/string_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/string/string_2.c,v

working file: c_tests/nullstone_3_8_4/src/string/string_2.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/string/string_3.c,v

working file: c_tests/nullstone_3_8_4/src/string/string_3.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/string/string_4.c,v

working file: c_tests/nullstone_3_8_4/src/string/string_4.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/template/template.c,v

working file: c_tests/nullstone_3_8_4/src/template/template.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

```
bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/unswitch/unsw_01.c,v
Working file: c_tests/nullstone_3_8_4/src/unswitch/unsw_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:07; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/unswitch/unsw_02.c,v
Working file: c_tests/nullstone_3_8_4/src/unswitch/unsw_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/README,v
Working file: c_tests/nullstone_3_8_4/src/volatile/README
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```


bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_01.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_02.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_03.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

description:

revision 1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_04.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_05.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_06.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_06.c
head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_07.c,v

working file: c_tests/nullstone_3_8_4/src/volatile/vol_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_08.c,v

working file: c_tests/nullstone_3_8_4/src/volatile/vol_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_09.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_09.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_11.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_11.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_12.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_12.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_13.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_14.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_15.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_16.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_17.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_18.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_18.c
head: 1.1
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_19.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_19.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_20.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_20.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_21.c,v
Working file: c_tests/nullstone_3_8_4/src/volatile/vol_21.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_22.c,v
Working file: c_tests/nullstone_3_8_4/src/volatile/vol_22.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_23.c,v
Working file: c_tests/nullstone_3_8_4/src/volatile/vol_23.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_24.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_24.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_25.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_25.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====